DATE: May 6, 2024

TO: Lucas County Engineer, Mike Pniewski; P.E., P.S.

FROM: Lucas Soil and Water Conservation District

By: D j Mears

SUBJECT: Annual Ditch Maintenance Report

In accordance with our MOU, this annual report is hereby submitted on ditches which were improved under Section 6131.01 to 6137.15 O.R.C.

Mosquito Creek Ditch #74

During our 2024 annual inspection we found the 24" enclosure on the DeVault's property restricting ditch flow. We have been trying to work out this problem with the County Engineer since the summer of 2023. We need to continue the spraying of brush regrowth. We estimate the ditch maintenance balance to be \$5,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$3,000.00.

Schmitz Ditch #424

During our 2024 annual inspection we found the lower mile of ditch to have erosion issues. These issues are bank instability due to flow against toe of ditch; eroded out bank on outside bends; concentrated surface water flow into ditch and improper outlet extensions. We will also need to control recently mowed brush by spraying methods on this entire ditch. We estimate the ditch maintenance balance to be -\$36,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$50,000.00.

Disher Ditch #428

We need to continue the spraying of brush regrowth. Also, we will need to replace the deteriorating subsurface tile outlet ends. We estimate the ditch maintenance balance to be \$1,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$4,000.00.

Ballard Ditch #888

During our 2024 annual inspection we recommend that this ditch be bottom dipped the entire length. Due to high cost of this work, \$52,500, we will be collecting it over a two-year period. We need to continue the spraying of brush regrowth. We estimate the ditch maintenance balance to be -\$40,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$40,000.00.

Householder Ditch #891

We will also need to control recently mowed brush by spraying methods on this entire ditch. We estimate the ditch maintenance balance to be \$17,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$0.00.

Collins Ditch #911

We need to continue the spraying of brush regrowth. We estimate the ditch maintenance balance to be \$5,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$0.00.

Drennan Ditch #1045

We need to continue the spraying of brush regrowth. We estimate the ditch maintenance balance to be \$65,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$0.00.

Van Fleet Ditch #1049

We need to continue the spraying of brush regrowth. We estimate the ditch maintenance balance to be \$10,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$0.00.

Lone Oak Ditch #1048

We need to continue contracting for brush control on this ditch by mechanical removal. We estimate another \$20,000 for brush removal. After this collection a more detailed inspection will be needed to determine where we continue with our brush control. We estimate the ditch maintenance balance to be \$-20,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$30,000.00.

Wilhelm Ditch Watershed Improvement #1051

We need to continue contracting for brush control on this ditch by mechanical removal. We estimate another \$20,000 for brush removal. We are planning to possibly perform a bottom dip-out of main ditch in 2026. We estimate the ditch maintenance balance to be \$-20,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$30,000.00.

Niles Ditch Watershed Improvement #1052

No planned work is scheduled for the next year. I have requested a ditch profile survey by the LCE Office for this ditch to determine what is the actual proper depth in ditch since additional drive culverts have been installed since original ditch survey.

Ford Ditch #1058

This ditch was recently constructed and will be needing brush control in 2025. We estimate that cost to be \$1,000.00. We request a collection amount in the sum of \$2,000.00.

Beecher Ditch #1866

We need to continue the spraying of brush regrowth. We estimate the ditch maintenance balance to be \$10,000.00 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$0.00.

Bench/Hageman Ditch #1917

During our 2024 annual inspection we found the upper section of ditch above the two-stage ditch to have erosion issues. These issues are bank instability due to flow against toe of ditch; eroded out bank on outside bends; concentrated surface water flow into ditch and improper outlet extensions. We will also need to control recently mowed brush by spraying methods on this entire ditch. We estimate the ditch maintenance balance to be -\$2,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$30,000.00.

Zaleski Ditch #2035A

We need to continue the spraying of brush regrowth. We estimate the ditch maintenance balance to be \$12,000 after the proposed work items for 2024 and 2025 is deducted. We request a collection amount in the sum of \$0.00.

Respectfully Submitted,

Dj Mears

Drainage/Agricultural Conservationist

D' Hears

D J Mears

Lucas County Soil & Water Conservation District

I am writing because I do not see the need for what I feel is an excessive Ditch Assessment on my 2023 Real Estate Taxes. I was assessed \$389.21 as my portion of an ordered collection of \$10,000 by the Lucas County Engineer for The Beecher Ditch. Since the planned maintenance was for spraying of weeds only & recommended no collection of additional funds since there were sufficient monies available from previous collections, I do not understand why there was a need to collect \$10,000. The ditch was cleaned just a couple of years ago so shouldn't require major work for some years yet.

Karen M Szabo

Parcel #11-0,22312-00.000

John Gradel & Sons Farms, Inc. 3135 Front Street Toledo, OH 43605 (419) 691-7123

Dj Mears Lucas Soil & Water Conservation District 3350 Hill Ave. Ste. K Toledo, OH 43607

Re: Wilhelm Maintenance Ditch

Dear Di Mears:

In regards to the grass filter strip required under Sec. 6131 of the Ohio Revised code, the Dike along Wilhelm Ditch on our property has an existing 30' grass strip which exceeds the required grass filter strip. In addition, the Dike prevents the water runoff of our property from entering Wilhelm Ditch.

The root system of the vegetation on the Dike supports the integrity of the Dike. Your proposed spraying of the Dike and killing the vegetation will compromise the integrity of the Dike. This will produce the opposite effect of the filter strip by allowing your chemicals to enter the ditch and possibly the Dike.

We have tried to explain this to your people in the field and were told we should send a letter explaining the issue.

There is no need to establish a grass filter strip as ours already exceeds the requirement. Please do not spray our Dike.

Sincerely,

John Gradel & Sons Farms, Inc.

Mark N. Gradel President

CC: Mike Pniewski, Lucas County Engineer

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payme	
NAME: Matt Parrish	DATE: 9-2023
ADDRESS: 7815 Manore Rd, White	house Olf 43571
XPHONE: 3/1) 494 960/ PARCEL NO. 52/36	71
MAINTENANCE DITCH: Ballard	
MBR OPTION (S) applied for	E (Circle all that apply)
Authorized Signature:	OWNER
	(Title)
We have reviewed and approved this application and recommend (MBR) in the amount of 20 % be granted for the above documentation has been hereto. Maximum grand total reduction Ditch No.: 886 Ditch Name: $86/4$ Original Base $4/27/6$	parcel number. Appropriate sum is 50%.
President of Lucas, SWED Board of Directors	
Sec'vTreasurer Lucas SWCD Board of Directors	

County Engineer:	
	Date:
County Commissioners:	
Approved by the Joint Board of County Commissioners on	
per Resolution Number	

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

(A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through fed	eral and /or State agencies.
NAME: Barbara Loboschefski DATE:	
ADDRESS: 8725 P.MS. NRS Rd, Grand Rapids	OH 4352 Z
V PHONE: 419-875-6658 PARCEL NO. 74/3962	
MAINTENANCE DITCH: Ballard	
MBR OPTION (S) applied for A B C D E	(Circle all that apply)
Authorized Signature: Darbara Loboschefske	
	(Title)
We have reviewed and approved this application and recommend that Mainte (MBR) in the amount of	ber. Appropriate
Sec'yTreasurer Lucas SWCD Board of Directors	

County Engineer:		
	_ Date:	
County Commissioners:		
Approved by the Joint Board of County Commissioners on		_
ner Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A. A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or state agencies.
NAME: Daniel Boltz DATE: 9-2023
ADDRESS: 2231 S. Fulton-Lucas Rd. Swanton OH
XPHONE: 419-367-2930 PARCEL NO. 7222731
MAINTENANCE DITCH: Beecher
MBR OPTION (S) applied for AR BC DE (Circle all that apply)
Authorized Signature: 0 wer
(Title)
We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of
President of Lucas SWCD Board of Directors
Sec'yTreasurer Lucas SWCD Board of Directors

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Joint Board of County Commissioners on		
per Resolution Number .		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies. ADDRESS: PARCEL No. PHONE: MAINTENANCE DITCH: (Circle all that apply) MBR OPTION (S) applied for Authorized Signature: O (Title) We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of _______% be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%, Ditch No .: Ditch Name: Original Base President of Lucas SWCD Board of Directors

Sec'y. -Treasurer Lucas SWCD Board of Directors

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Joint Board of County Commissioners on		
per Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Plan.	
Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies. NAME: Robert & Joyce Schwyn DATE: 7-2023	
ADDRESS: 10705 Co. Rd, C Swgaton 0/7 43530 PHONE: 419-826-2178 PARCEL No. 11-02/08-01,000 5 11-02/124-00,000	>
Beu Noc 419-206-2232 MAINTENANCE DITCH: Beach / Hager man	
MBR OPTION (S) applied for B O E (Circle all that apply)	
Authorized Signature: Bobert Schwyn	
(Title)	
We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of	
President of Lucas SWED Board of Directors	
Hogebacker	
Sec'yTreasurer Lucas SWCD Board of Directors Occupation Base Adjusted Base	
0 21124-00,000 \$6,910.46 Base \$5,528.37	

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Joint Board of County Commissioners on		
ner Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies. Kench MAINTENANCE DITCH: (Circle all that apply) Ε D MBR OPTION (S) applied for Authorized Signature: ____ (Title) We have reviewed and approved this application and recommend that Maintenance Base Reduction documentation has been hereto. Maximum grand total reduction sum is 50%. Ditch Name: ____ Original Base 44.301. Project Code: _ President of Lucas SWCD-Board of Directors

Sec'y. -Treasurer Lucas SWCD Board of Directors

County Engineer:		
	Date:	••••
County Commissioners:		
Approved by the Joint Board of County Commissioners on		
per Resolution Number .		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program pay	yments timough rederal and yor state agencies.
NAME: Fred Gothke	DATE: 6/2023
ADDRESS: 11254 Stiles Whitchouse	OH 43571
* PHONE: 419-419-8459 PARCEL NO. 91110	77
MAINTENANCE DITCH: Disher	
MBR OPTION (S) applied for	D E (Circle all that apply)
Authorized Signature:	(owner Farm)
Gothke	(Title)
We have reviewed and approved this application and recommend (MBR) in the amount of	re parcel number. Appropriate n sum is 50%.
Kam Jaga	
President of Lucas SWCD Board of Directors	
Hraubacher	
/ /	

Sec'y. -Treasurer Lucas SWCD Board of Directors

County Engineer:	
	Date:
County Commissioners:	
Approved by the Board of Lucas County Commissioners on	
per Resolution Number	

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies. ADDRESS: PHONE: MAINTENANCE DITCH: (Circle all that apply) Ε MBR OPTION (S) applied for **Authorized Signature:** (Title) We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of ______% be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%. Ditch No.: Ditch Name: Original Base Adjusted Base Project Code: President of Lucas SWCD Board of Directors Sec'y. -Treasurer Lucas SWCD Board of Directors

County Engineer:	Date:	
County Commissioners:		
Approved by the Board of Lucas County Commissioners	on	
per Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation

	riali.	
	Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.	
	NAME: Fritschfield LLC DATE: 6/2023	
	ADDRESS: 4225 Mord Rd Sylvania OH 43560	
>	PHONE: (419) 932-1960 PARCEL No. 5709723, 5709557, 5709553	
	MAINTENANCE DITCH: Collins	
	MBR OPTION (S) applied for A B C D E (Circle all that apply)	
X	- Authorized Signature: Daniel Fritish Member	
	(Title)	
	We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of	
	Project Code: 911 Original Base \$408.80 Adjusted Base \$327.04	570972
	President of Lucas SWCD Board of Directors Lynn Lafte Linn Ry	

Adjusted 5709557 \$357.30 5709557 \$953.34 5709553

Sec'y. -Treasurer Lucas SWCD Board of Directors

91,191.68

County Engineer:	
	Date:
County Commissioners:	
Approved by the Board of Lucas County Commissioners on	
per Resolution Number	

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

	Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.
(CM)	NAME: Elizabeth A. EISEL Drustee DATE: 6/2023
(EAR)	ADDRESS: 1/730 W Sylvania Ave Berkey OH 43504
£	PHONE: 419-309-35.35 PARCEL NO. 57/0297
/(MAINTENANCE DITCH: Collins
	MBR OPTION (S) applied for A B C D E (Circle all that apply)
	Authorized Signature:
	(Title)
	We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of
	President of Lucas SWCD Board of Directors Hum Jan
	Sec'yTreasurer Lucas SWCD Board of Directors

Count	ty Engineer:		
		Date:	
Count	ty Commissioners:		
	Approved by the Board of Lucas County Commissioners on		
	ner Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal a	III / OI State agencies.
NAME: Bent Creek Farms LLC DATE: 6	12023
ADDRESS: 7767 Martino Cir. Naples Pl	34112
X-PHONE:	
MAINTENANCE DITCH: Dishel	
MBR OPTION (S) applied for A B C D E (C	ircle all that apply)
Authorized Signature: Management A	NEABER
(T	itle)
We have reviewed and approved this application and recommend that Maintenan (MBR) in the amount of% be granted for the above parcel number. documentation has been hereto. Maximum grand total reduction sum is 50%.	ce Base Reduction Appropriate
Ditch No.: 478 Ditch Name: Dishel	
Project Code: 428 Original Base 451.20 Adjusted Base	\$ 360.96
Kin Jay	
President of Lucas SWCD Board of Directors	

Sec'y. -Treasurer Lucas SWCD Board of Directors

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Board of Lucas County Commissioners on		
per Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

	Please note that the conservation practices above may be eligible for certain program payments through	n federal and /or State agencies.
	NAME: Kile NewKirk DATE	E: 6/2023
	ADDRESS: 1629 Berkey Rd Swenton O	H 43558
X	PHONE: 510-998-4162 PARCEL NO. 9/11560	
	MAINTENANCE DITCH: Disher	
	MBR OPTION (S) applied for A B C D E	(Circle all that apply)
X	Authorized Signature:	
		(Title)
	We have reviewed and approved this application and recommend that Mair (MBR) in the amount of	ımber. Appropriate)%.
	President of Lucas SWCD Board of Directors	
	- Vigerben hu	
	/ 1	

Sec'v. -Treasurer Lucas SWCD Board of Directors

County Engineer:	
	Date:
County Commissioners:	
Approved by the Board of Lucas County Commissioners on	
per Resolution Number .	

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan

	T MIL	
	Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.	
	NAME: Marvin & Doris Longnecker DATE: 6/2023	<u></u>
	ADDRESS: 11402 Stiles Kd Whitehouse 43571	
X	PHONE: 419-877-4751 PARCEL No. 9/1/3/8 9/1/3/7	_
J	MAINTENANCE DITCH: Disher	
	MBR OPTION (S) applied for A B C D E (Circle all that appl	у)
X	Authorized Signature: Denuse Longnecker P.O. a.	_
	for Marvin Long hecker (Title)	
	We have reviewed and approved this application and recommend that Maintenance Base Reductio (MBR) in the amount of	า
	Ditch No.: 428 Ditch Name: Disher Project Code: 478 Original Base 41,152.00 Adjusted Base 4921.60	9/1/3/
	two my	
	President of Lucas SWCD Board of Directors	
	All ogelbarher	
	Sec'yTreasurer Lucas SWCD Board of Directors	
	Orional Base Adjusted Base	_
Parce	el#4/11318 \$108691 \$869.53	

41,086.91

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Board of Lucas County Commissioners on		
per Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and for State agencies

	NAME: Sten Wielinski DATE: 6/2023
	ADDRESS: 11621 Waterville St, whitehouse Of 43571
	PHONE:
	MAINTENANCE DITCH: Disher
	MBR OPTION (S) applied for A B C D E (Circle all that apply) Authorized Signature:
K	Authorized Signature:
	(Title)
	We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of 20 % be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%. Ditch No.: 428 Ditch Name: 268 Ditch Name: 268 Ditch Name: 268 Ditch Name: 268 Adjusted Base 268 Ditch Name:
	President of Lucas SWCD Board of Directors Twin Seg
	Sec'yTreasurer Lucas SWCD Board of Directors

Count	y Engineer:	
		Date:
Count	y Commissioners:	
	Approved by the Board of Lucas County Commissioners on	
	nor Posalution Number	

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.

NAME: Sten Wielinski. DATE: 6/2023

ADDRESS: | 1662 | Water ville St. Whitehouse OH 4357 |

PHONE: PARCEL NO. 9/1/3002

MAINTENANCE DITCH: Mosquito Creek

MBR OPTION (S) applied for A B C D E (Circle all that apply)

Authorized Signature: Title)

We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of 20 % be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%.

Ditch No: 74 Ditch Name: Mosquito Creek

Project Code: 74 Original Base 37, 968.24 Adjusted Base 46, 374.59

President of Lucas SWCD Board of Directors

Sec'y. -Treasurer Lucas SWCD Board of Directors

County Engineer:	
	Date:
County Commissioners:	
Approved by the Board of Lucas County Commissioners on	
per Resolution Number .	

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments the	rough federal and /or State agencies.
NAME: Bidwell Farms LLC	DATE: 6/2023
ADDRESS: 21859 W. Lake Ave, Round Lake IL	600 t3
ADDRESS: 2/05 W. Lake 1700 Double Late	
** PHONE: 708-269-6443 PARCEL NO. 9112280	
MAINTENANCE DITCH: Mosquito Creek	
	E (Circle all that apply)
Authorized Signature: Milu	Partney
Authorized Signature.	
Ann Bidwell	(Title)
We have reviewed and approved this application and recommend that (MBR) in the amount of	is 50%.
President of Lucas SWCD Board of Directors	Say
Sec'yTreasurer Lucas SWCD Board of Directors	00
Sec A Liegznier Fricas SAACD pogia of pricerois	

County Engineer:	
	Date:
County Commissioners:	
Approved by the Board of Lucas County Commissioners on	
per Resolution Number	

CERTIFICATE OF DITCH MAINTENANCE BASE REDUCTION LUCAS COUNTY, OHIO

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments the	rough federa	all and /or State agencies.		
NAME: Af FARMS INC	DATE:	6/2023		
ADDRESS:				
PHONE: PARCEL NO. 9112041				
MAINTENANCE DITCH: Mosquito Creek				
MBR OPTION (S) applied for D	Е	(Circle all that apply)		
Authorized Signature:		(-1.1.)		
		(Title)		
We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of				
Ditch No.: 74 Ditch Name: Mosquito	0/6	cel		
Ditch No.: 74 Ditch Name: Mosquito Project Code: 74 Original Base 43,642,53 Adju	usted Bas	e \$2,914.02		
Know Janger				
President of Lucas SWCD Board of Directors				
Joanbachu				

County Engineer:	
	Date:
County Commissioners:	
Approved by the Board of Lucas County Commissioners on _	
per Pasalution Number	

CERTIFICATE OF DITCH MAINTENANCE BASE REDUCTION LUCAS COUNTY, OHIO

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

	Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.
	NAME: Zion United Methodist Church of Whitchouse 6/2023
	ADDRESS: P.O. Box 2457 Whitchouse OH 43571
V	PHONE: PARCEL NO. 9/1/198
X	MAINTENANCE DITCH: Mosquito Greek
	MBR OPTION (S) applied for A B C D E (Circle all that apply)
1	Authorized Signature: felon to Thomas CON CIMIN
X	LELONOS ALOMAS (Title)
	We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of
	President of Lucas SWCD Board of Directors And Andrew And
	Sec'yTreasurer Lucas SWCD Board of Directors

County Engineer:	
	Date:
County Commissioners:	
Approved by the Board of Lucas County Commissioners on	
per Resolution Number .	

CERTIFICATE OF DITCH MAINTENANCE BASE REDUCTION LUCAS COUNTY, OHIO

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.

NAME: Lester & Brenda Leh men DATE: 6/2023

ADDRESS: 1/30/ Sfiles Rd Whitehouse OH 43571

PHONE: 419-872 OU42 PARCEL No. 9/1/319

MAINTENANCE DITCH: Mosquito Creek

MBR OPTION (S) applied for B B C D E (Circle all that apply)

Authorized Signature: 1/20 % be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%.

Ditch No.: 74 Ditch Name: 1/253,66 Adjusted Base 1/242,93

President of Lycas SWCD Board of Directors

Maximum Grand Directors

Coun	ty Engineer:		
		Date:	
Coun	ty Commissioners:		
	Approved by the Board of Lucas County Commissioners on		
	per Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.

NAME: Janes Have (1cht DATE: 6/2023)

ADDRESS: 1288 Co Rd Swanton OH 43 558

PHONE: 419 297 /270 PARCEL No. 5903608

MAINTENANCE DITCH: Schmtz

MBR OPTION (S) applied for A B C D E (Circle all that apply)

Authorized Signature: Jacob Parcel

We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of 70 % be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%.

Ditch No.: 424 Ditch Name: Schwitz Ditch

Project Code: 424 Original Base 43 819.20 Adjusted Base 3 055.36

President of Lucas SWCD Board of Directors

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Joint Board of County Commissioners o	n	
per Resolution Number .		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Joint Board of County Commissioners on		
ner Resolution Number		

CERTIFICATE OF DITCH MAINTENANCE BASE REDUCTION LUCAS COUNTY, OHIO

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program	m payments through federal and /or State agencies.		
NAME: Thomas & Jennifer Herr	DATE: 6/2023		
ADDRESS: 15167 St. Rt. 64, Metame	ore OH 43540		
PHONE: 419416 0562 PARCEL NO. 571420	4		
MAINTENANCE DITCH: Schmitz Ditch			
MBR OPTION (S) applied for A / B C	D E (Circle all that apply)		
Authorized Signature:	Ower		
	(Title)		
We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of			
President of Lucias SWCD Board of Directors All Many Control of Directors			
Sec'yTreasurer Lucas SWCD Board of Directors	O_{ij}		

County	Engineer:	
-		Date:
County	Commissioners:	
. 4	approved by the Joint Board of County Commissioners on	
p	per Resolution Number	

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10) foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.
NAME: Mitzi Lynn Schnitz Go Edward Schnitz DATE: 6/2023
ADDRESS: 5/33 Lazy Oaks Dr. Winter Park FL 32792
V PHONE: 487 445-4178 PARCEL NO. 01-000968-00,000
MAINTENANCE DITCH: Schmitz
MBR OPTION (S) applied for A B C D E (Circle all that apply)
KAuthorized Signature: Educad M Safat - Man & Schotte
(Title)
We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of% be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%.
Ditch No.: 424 Ditch Name: Schwitz Ditch
Ditch No.: 424 Ditch Name: Schwitz Ditch Project Code: 424 Original Base 5,760,00 Adjusted Base 4,608.00
President of Lucas SWCD Board of Directors The firm of the firm of the first of th
Sec'yTreasurer Lucas SWCD Board of Directors

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Joint Board of County Commissioner	rs on	
per Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10°) foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

N	NAME: Brian & Lu Ann Barnaby DATE: 6/2023		
	NAME: BIRGH & LU HAN DARNABY DATE: 6/2025		
, A	ADDRESS: 13590 Sylvania Huk Barkey OH 43504		
A P	PHONE:		
, ·	MAINTENANCE DITCH: Schmitz		
	MBR OPTION (S) applied for A B C D E (Circle all that apply)		
XA	Authorized Signature: Brian Barnely Lyann Barnaly		
	(Title)		
() d	We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of% be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%.		
	Ditch No.: 424 Ditch Name: Schnitz Ditch		
	Project Code: 424 Original Base 5,454,67 Adjusted Base \$4363.7		

County Engineer:	
	Date:
County Commissioners:	
Approved by the Joint Board of County Commissioners on	
per Resolution Number	

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

(10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.			
NAME: Sanine Moon ETAL	DATE: 6/2023		
ADDRESS: 40 Denver & Sally Mosging 1730 Co Rd S.	Swenton OH 43558		
PHONE: 614, 746-4272 PARCEL NO. 01-000912-0	00,000 \$ -03,000		
MAINTENANCE DITCH: Schwitz			
MBR OPTION (S) applied for A B C D	E (Circle all that apply)		
Authorized Signature:			
	(Title)		
We have reviewed and approved this application and recommend that (MBR) in the amount of	cel number. Appropriate n is 50%.		
President of Lucas SWCD Board of Directors Sec'yTreasurer Lucas SWCD Board of Directors Ol - 000 912-03,000 Ongina Not on Role	Adjusted To be added in		
	NAME: Janne Moon ETAL ADDRESS: Jo Denver & Sally Mossing 1730 (o.R.) S. PHONE: 6/4.746-4272 PARCEL No. 01-0009/2-0 MAINTENANCE DITCH: Schwitz MBR OPTION (S) applied for A B C D Authorized Signature: When Maintenance and recommend that (MBR) in the amount of % be granted for the above par documentation has been hereto. Maximum grand total reduction sun Ditch No.: 424 Ditch Name: Schwitz Project Code: 424 Original Base 9, 7/5, 10 Adj President of Lucas SWCD Board of Directors		

County Engineer:	
	Date:
County Commissioners:	
Approved by the Joint Board of County Commissioners on	
nor Posolution Number	

CERTIFICATE OF DITCH MAINTENANCE BASE REDUCTION LUCAS COUNTY, OHIO

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

	Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.	
	NAME: Lasty Truckor. DATE: 6/2023	
	NAME: Larry Truckor DATE: 6/2023 ADDRESS: 14720 Co. Rt Z Swanton OH 43558	
	PHONE: PARCEL NO. 57/37.52 01-000938-00,000 01-000952-00=	± 000
	MAINTENANCE DITCH: Schmitz	
	MBR OPTION (S) applied for (A) B (C) D E (Circle all that apply)	
(Authorized Signature: Larry Trucks OWNER	
	(Title)	
	We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of	
	Ditch No.: 424 Ditch Name: Schmitz Ditch	
	Ditch No.: 424 Ditch Name: $\underline{Schmitz}$ \underline{Ditch} Project Code: $\underline{424}$ Original Base $\underline{43,578,02}$ Adjusted Base $\underline{42,862,41}$	-21375
	President of Lucas SWCD Board of Directors The Many Control of Directors The Many Control of Directors	
	Sec'yTreasurer Lucas SWCD Board of Directors	
	01-000928 01916 Adjusted 5,069.57 \$ 4,055.65	
	01-000952 95,152.00 \$4,121.60	

County Engineer:		
	Date:	
County Commissioners:		
doint g Folton Approved by the Board of Lucas County Commissioners on		
per Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

	riedse note that the conservation practices above may be engine for certain program payments to	in ough icu	crai ana / or state agencies.
	NAME: Ray & Ber Langenderter	DATE: _	6/2023
	ADDRESS: 15527 Co Rd Belkey O	H	43504
	PHONE: PARCEL No. 5963834		
	MAINTENANCE DITCH: Schmitz		
	MBR OPTION (S) applied for A B C D	Е	(Circle all that apply)
X	Authorized Signature: Reguest Tangerder for		FRAMER LAND-OWNSER
	Beverly n	n Long	Title
	We have reviewed and approved this application and recommend that (MBR) in the amount of 20 % be granted for the above part documentation has been hereto. Maximum grand total reduction sum Ditch No.: 424 Ditch Name: $9chmitz$ Ditch Name: $9chmitz$ Adjusting Project Code: 424 Original Base 356.75 Adjusting	is 50%.	per. Appropriate
	President of Lucas SWCD Board of Directors Stephen days Kim	Jan	
	Sec'yTreasurer Lucas SWCD Board of Directors	10	

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Joint Board of County Commissioners on		
per Resolution Number .		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.

NAME: Steve Loctler DATE: 6/2023
ADDRESS: 4745 Lathrop Rd Berkey Of
PHONE: PARCEL No. 5 9081 4 4
MAINTENANCE DITCH: Schuitz
MBR OPTION (S) applied for A B C D E (Circle all that apply)
Authorized Signature: Your Dayfu
(Title)
We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of
President of Lucas SWCD Board of Directors
Hogybulu

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Joint Board of County	Commissioners on	
ner Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

(10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

	Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.
	NAME: Francis & Joan Stasa DATE: 6/2023
	ADDRESS: 1270 Co Rd S Swanton OH 43558
	PHONE: PARCEL No. 01-000916-00, 000
	MAINTENANCE DITCH: Schmitz
	MBR OPTION (S) applied for A B C D E (Circle all that apply)
K	MBR OPTION (S) applied for (A) B (C) D E (Circle all that apply) Authorized Signature: Francis & Jaw Stasm Owners)
	(Title)
	We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of 20 % be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%. Ditch No.: 424 Ditch Name: $5chmtz$ Ditch Name: 424 Original Base 4063.10 Adjusted Base 3250.48
	President of Lucas SWCD Board of Directors Lini Jan

County Engineer:	
	Date:
County Commissioners:	
Approved by the Joint Board of County Commissioners on	
per Resolution Number	

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.

	NAME: Karen Winn DATE:	6/2023
	ADDRESS: 228 Stone Oak C+ Holland	04 43528
	PHONE: PARCEL No. 57/ 7221	
	MAINTENANCE DITCH: Schmitz	
- (MBR OPTION (S) applied for A B C D E	(Circle all that apply)
X	Authorized Signature:	
		(Title)
	We have reviewed and approved this application and recommend that Mainten (MBR) in the amount of	
	Ditch No.: 424 Ditch Name: Schmitz Dit	ch
	Ditch No.: 424 Ditch Name: $5ch \text{ witz}$ Ditch Project Code: 424 Original Base $\frac{$10,536,58}{}$ Adjusted Base	e 48,429,26
	President of Lucas SWCD Board of Directors	
	Hoanbaha	

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Joint Board of County Commissioners on		
per Resolution Number .		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C:/An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies. PHONE: MAINTENANCE DITCH: Ε MBR OPTION (S) applied for (Circle all that apply) () a,10 Authorized Signature: (Title) We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of 20 % be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%. Ditch No.: 4 Original Base Sec'y. -Treasurer Lucas SWCD Board of Directors 19,302.21

Parcel #

01-000988-01.000

County Engineer:		
	_ Date:	
County Commissioners:		
••		
Approved by the Joint Board of County Commissioners on		
ner Resolution Number		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.

	NAME: Parl 3 den Vennewine	DATE:	6/2023
	ADDRESS: 6850 Sloe Big Rd Meddletow	1	45642
	PHONE: PARCEL No. 5903594		
	MAINTENANCE DITCH: Schmitz		
	MBR OPTION (S) applied for A B C D	E	(Circle all that apply)
V	Authorized Signature: Part Jermenne		
			(Title)
	We have reviewed and approved this application and recommend that I (MBR) in the amount of	el numb s 50%.	er. Appropriate
	President of Lucas SWCD Board of Directors		
	Hogebache		

County Engineer:		
	Date:	
County Commissioners:		
Approved by the Joint Board of County Commissioners on		
per Resolution Number .		

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through rederal and for state agencies.			
NAME: Taylor Legacy Prop LLC DATE: 6/2023			
ADDRESS: 1275 Birch Run C+ Sylvania OH 43560			
PHONE: 419-466-5968 PARCEL No. 57/3/54			
MAINTENANCE DITCH: Schmitz			
MBR OPTION (S) applied for A B C D E (Circle all that apply)			
Authorized Signature: Marlone of Zientek V. President			
(Title)			
We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of 20 % be granted for the above parcel number. Appropriate documentation has been hereto. Maximum grand total reduction sum is 50%. Ditch No.: 424 Ditch Name: $56mt^2$ Diff. Project Code: 424 Original Base $32,759,84$ Adjusted Base $42,207,87$			
President of Lucas SWCD Board of Directors			
Sec'yTreasurer Lucas SWCD Board of Directors			

County Engineer:		
	_ Date:	
County Commissioners:		
Approved by the Board of Lucas County Commissioners on		
ner Resolution Number		

CERTIFICATE OF DITCH MAINTENANCE BASE REDUCTION LUCAS COUNTY, OHIO

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

- A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.
- B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.
- C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.
- D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.
- E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.
NAME: Frances Pitzen DATE: 6/2023
ADDRESS: 6951 Yawberg Rd Whitehouse OH 4571
PHONE: 419-266-9655 PARCEL NO. 6530847
MAINTENANCE DITCH: Zaleski
MBR OPTION (S) applied for A B C D E (Circle all that apply)
Authorized Signature: Owner
(Title)
We have reviewed and approved this application and recommend that Maintenance Base Reduction
(MBR) in the amount of% be granted for the above parcel number. Appropriate
documentation has been hereto. Maximum grand total reduction sum is 50%.
Ditch No.: 4035 4532 Ditch Name: Zaleski Ditch
Project Code: 1035 A Original Base 5 608,16 Adjusted Base 5486,53
President of Lucas SWCD Board of Directors
Stephen Lackle / Kim Jay
Sec'yTreasurer Lucas SWCD Board of Directors

County Engineer:	
	Date:
County Commissioners:	
Approved by the Board of Lucas County Commissioners on	
ner Resolution Number	

CERTIFICATE OF DITCH MAINTENANCE BASE REDUCTION LUCAS COUNTY, OHIO

This application must be filed with the Lucas SWCD by May 1st in order to be considered for this year Tax Duplicate. Certified ditch maintenance base reduction applications will be forwarded to the Lucas County Engineer and the Lucas County Commissioners by the first day of July each year. Several levels of ditch maintenance base reduction will be considered with the following options (Maximum of 50% reduction in accordance with ORC Section 6137.09):

A: A 10% Maintenance Base Reduction (MBR) may be obtained by establishing and maintaining a minimum ten (10') foot permanent grass berm along each side of the maintenance ditch.

B: An additional 10% MBR may be obtained by installing surface runoff control structures where needed on the maintenance ditch.

C: An additional 10% MBR may be obtained by controlling herbicide resistant broadleaf and noxious weeds in the grass berm along maintenance ditch. This will be for first 5 years of the grass berm establishment.

D: An additional 1% per foot width MBR may be obtained by installing additional width to the minimum grass berm up to a maximum 25 feet. Maximum reduction for additional width would be 15%.

E: An additional 20% MBR may be obtained by completing and implementing a Comprehensive Conservation Plan.

	Please note that the conservation practices above may be eligible for certain program payments through federal and /or State agencies.
	NAME: Casey Stengle DATE: 9-2023
	ADDRESS: 39/4 Weckerly Rd, Monclova OH. 43542
X	PHONE: PARCEL No. 38/9729
/	MAINTENANCE DITCH: Zale ski
	MBR OPTION (S) applied for A B C D E (Circle all that apply)
#	Authorized Signature: properly owner
	(Title)
	We have reviewed and approved this application and recommend that Maintenance Base Reduction (MBR) in the amount of
	Rum 2. Son
	President of Luças SWCD Board of Directors
	Hogebachen

County Engineer:	
	Date:
County Commissioners:	
Approved by the Board of Lucas County Commissioners on	
per Resolution Number	